

## RCO68x/69x identification

# Friday, 1/ March 2019

## 1.1

Copyright © 2019 by ELESTA building automation GmbH. All Rights Reserved.

# Inhaltsverzeichnis

note	4
general information	5
Hardware Revision	5
RCO680D-S	6
RCO681D-S	7
RCO682D-S	8
RCO690D-S	9
RCO692D-S	10
Firmware and Android version	10
Identifying the Android version	11
App Version	12
Identifying the webpanel app version	13

#### note

The information in this document is subject to change without notice and should not be construed as a commitment by ELESTA building automation GmbH. Neither ELESTA building automation GmbH nor any of its affiliated corporations assumes responsibility for any errors that may appear in this document. This manual is believed to be complete and accurate at the time of publication. In no event shall ELESTA building automation GmbH or any of its affiliated corporations be liable for incidental or consequential damages in connection with or arising from the use of this manual.

(c) 2019 ELESTA building automation GmbH. All rights reserved

## general information

The RCO68x/69x series is about Andoid webpanels with a preinstalled ELESTA webpanel app. Due the constant development of the Android system as well as our webpanels, we created this document to help you correctly identify your device.

Because Hardware, firmware, Android and webpanel app version are not fully linked to each other, all information is necessary to correctly identify your device.

#### Hardware Revision:

All webpanels have a type label helping identify the version. Additionally the form factor is also an indicator. There are also different sizes of the backplate. Since the RCO682/692 series, we also added a ELESTA specific type label.

#### Firmware and Android Version:

These are flashed by the manufactorer or ELESTA on the panel and cannot be done by a technician. If it has to be updated, please notify us.

#### Webpanel app version:

The webpanel app can be downloaded from our homepage and be updated by a technician. Attention, the old version of the webpanel app must not be uninstalled!

We need all this information to give you the best support possible.

#### **RCO680D-S**



type label



Backplate BxH 230x160mm Display BxH 275x195mm

## **RCO681D-S**



type label



Backplate BxH 185x105mm Display BxH 275x195mm

### **RCO682D-S**



type label

			•
	19.17 Embeddiad Touch PC Arlow Am. FTIOTAIL Brain M. Control Control of The data (Control Control of Control of Control of of Control of Control of Control Control of Control of Control of Control of Control of Control of Control of Control of C	€ FC ⊕-⊕	
•	• Fipe: RCD 082 D-5		•

Backplate BxH 230x160mm Display BxH 275x195mm

#### **RCO690D-S**



type label



Backplate BxH 230x160mm Display BxH 380x315mm

### **RCO692D-S**



type label



Backplate BxH 230x160mm display BxH 390x250mm

# **Identifying the Android version**

 http://	·	
Display off a	after 0	seconds
DELETE PASSWORDS	STATIONS	LOCK APP

- 1. swipe from the left border to the middle of the display
- 2. open the settings with the gear icon

For RCO680D-S and 690D-S like this:

depending on your hardware revision, the settings menu looks different.

		🛛 💈 100% 15:59
🔯 Über das Tablet		
🖄 Apps		
👤 Nutzer	Systemupdates	
NUTZER	Status Akku: und Netzwerkstatus und andere Informationen	
♀ Standort		
	Rechtliche Hinweise	
A Sprache & Eingabe	Modellnummer faytech	
Sichern & zurücksetzen	SOC Chip Super Dualons 420	
KONTEN		
+ Konto hinzufügen	Android-Version 4.4.2	
SYSTEM	Pacaband Varaian	
O Datum & Uhrzeit	v4.4	
🖐 Bedienungshilfen	Kernel-Version 3.4.39+ ve@veinspiron-7420 #48	
🖶 Drucken	Mon Jan 11 20:03:46 CST 2016	
{ } Entwickleroptionen	Build-Nummer wing_faytech-eng 4.4.2 K0T49H 20160112 test-keys	
① Über das Tablet		
4,		

scroll down on the left side to the bottom till "About tablet" or "über das Tablet" Now you see the Android version as well as the build number.

RCO68x/69x identification

#### For RCO681D-S, RCO682D-S as well as RCO692D-S like this:

		⊜ ♡ 11:30
Settings		م
Wireless & networks		
♥ Wi-Fi	↔ Ethernet	
O Data usage	··· More	
Device		1
Display	Sound & notification	
Apps	🔚 Storage & USB	
E Memory		
Personal		Ĩ
Location	Security	
Accounts	G Google	
Language & input	Backup & reset	
System		1
O Date & time	T Accessibility	
🖶 Printing	{ } Developer options	
About tablet		
ط، م	> □ <)	

#### Same here, "About tablet" or "Über das Tablet"

System	de la construcción de la const
Status Status of	the battery, network, and other information
Legal in	formation
Model n QUAD-CO	umber RET3 p1
Process QuadCon	br type
Android 6.0.1	version
Android Decembe	security patch level 1, 2015
Firmwar V1.82	e version
Basebar Unknown	nd version
Kernel v 3.10.65 build@cd Thu Dec 6	wrsion 91 1a:691 = 1 e #25 1 1 4:10:14 UTC 2018
Build nu t3_p2-eng	mber 6.0.1 MMR29M 201901151est-keys

Now you see the Android version as well as the firmware and build number.

🔅 http://	
Display off after 0	seconds
DELETE PASSWORDS STATIONS	LOCK APP

# Identifying the webpanel app version

- 1. swipe from the left border to the middle of the display
- 2. open the settings with the gear icon

depending on your hardware revision, the settings menu looks different.

					⊿ 🖻 100% 15:59
Apps					:
Mohr			HERUNTERGELADEN	AUF SD-KA	RTE
GERÄT		Adobe Flash Player 11	.1		
<b>∮</b> ୬ Töne	6	Chrome			
Display		63,62 MB			
🚍 Speicher		4,26 MB			
🛃 Apps		DragonFire-v2.2 5,68 MB			
👤 Nutzer		DragonPhone			
NUTZER		48,00 KB			
💡 Standort					
Sicherheit					
A Sprache & Eingabe					
Sichern & zurücksetzen					
KONTEN					
+ Konto hinzufügen	181 M	MB belegt	Interner Speicher	449 MB frei	
CSYSTEM	a		<u>(</u> )	d»	

#### For RCO680D-S and 690D-S like this:

Scroll on the left side till "Apps" and select "de.elesta.webpanel.

					⊿ 🛿 100% 15:59
OT Apps					
Mehr		de.elesta.webpanel			
GERÄT		Beenden erzwingen		Deinstallieren	
🕀 Töne				Dentotameren	
Display		SPEICHER			
E Speicher		Insgesamt		4,26 MB	
Apps		App		4,11 MB	
		USB-Speicher-App		0,00 B	
Nutzer		Daten		152 KB	
NUTZER		SD-Kane		0,00 B	
የ Standort				Daten löschen	
A Sicherheit		CACHE			
		Cache		28,00 KB	
A Sprache & Eingabe				Cache leeren	
Sichern & zurücksetzen		STANDARDMÄSSIG STARTEN			
KONTEN		Kein Standard			
+ Konto hinzufügen					
SYSTEM					
Ц Ц	, E		Ĵ	<b>り</b>	

On the App details site you see the version number.

### For RCO681D-S, RCO682D-S as well as RCO692D-S like this:

Settings		Q (11.30
Wireless & networks		
💎 Wi-Fi	• Ethernet	
O Data usage	··· More	
Device		1
Display	Sound & notification	
Apps	🔚 Storage & USB	
Memory		
Personal		Ĩ.
Location	Security	
Accounts	G Google	
Language & input	Backup & reset	
System		1
O Date & time	T Accessibility	
n Printing	() Developer options	
About tablet		
ц, о (	○ □ ◀»	

Here also, select "Apps".

	Apps		<b>\$</b> :
	Q	Amaze 188 KB	
		Android Keyboard (AOSP) 168 KB	
	0	Browser 488 KB	
	0	Camera 48.00 KB	
	Ø	Clock 80.00 KB	
	-	Contacts 0.008	
	E	de elesta webpanel 5.69 MB	
		Dev Tools 24.00 K8	
	0	Downloads 0.00 B	
		ES File Explorer 73.35 MB	
	f	Fully Klosk Browser 15.54 MB	
	<b>5</b>	Galley 92.00 K8	
-	*	Google Play services 38: 53 MB	

select "de.elesta.webpanel".

÷	App info
	ersion 1.6.1
	UNINSTALL FORCE STOP
	Storage 5.69 M8 used in Internal storage
	Data used
	Permissions No permissions requested
	Notifications Normal
	Open by default No defaults set
	Battery No battery use alnoe last full charge
	Memory 3.0 MB arg memory used in last 3 hours

On the App details site you see the version number.